

Clinical Quality Measures

2023 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	-	-
	Follow-up at Six Months	-	-
	Response at Six Months	-	-
	Remission at Six Months	-	-
	Follow-up at 12 Months	-	-
	Response at 12 Months	-	-
	Remission at 12 Months	-	-
Adult Depression	PHQ-9 Utilization*	Average	0.81875
	Follow-up at Six Months	Expected	0.4157
	Response at Six Months	Expected	0.1124
	Remission at Six Months	Expected	0.0337
	Follow-up at 12 Months	Expected	0.427
	Response at 12 Months	Expected	0.1798
	Remission at 12 Months	Expected	0.0899
Adolescent Mental Health and/or Depression Screening*		Average	0.9605
Colorectal Cancer Screening		Below Expected	0.6172
Optimal Asthma Control - Adults		Below Expected	0.1185
Optimal Asthma Control - Children		Below Expected	0.0667
Optimal Diabetes Care		Expected	0.3922
Optimal Vascular Care		Expected	0.4906

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

*Measure not risk adjusted

Ratings

Above: Clinic’s actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

Average: Clinic’s actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

Below: Clinic’s actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).