

**Clinical Quality Measures**

2022 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	Below	38.3%
	Follow-up at Six Months	Average	38.3%
	Response at Six Months	Average	12.8%
	Remission at Six Months	Average	12.8%
	Follow-up at 12 Months	Below	17.0%
	Response at 12 Months	Below	2.1%
	Remission at 12 Months	Below	0.0%
Adult Depression	PHQ-9 Utilization*	Below	63.3%
	Follow-up at Six Months	Average	43.1%
	Response at Six Months	Below	10.4%
	Remission at Six Months	Below	6.6%
	Follow-up at 12 Months	Below	32.4%
	Response at 12 Months	Below	9.9%
	Remission at 12 Months	Below	3.8%
<b>Adolescent Mental Health and/or Depression Screening*</b>		-	-
<b>Colorectal Cancer Screening</b>		-	-
<b>Optimal Asthma Control - Adults</b>		-	-
<b>Optimal Asthma Control - Children</b>		-	-
<b>Optimal Diabetes Care</b>		-	-
<b>Optimal Vascular Care</b>		-	-

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

\*Measure not risk adjusted

**Ratings**

**Above:** Clinic’s actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

**Average:** Clinic’s actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

**Below:** Clinic’s actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).