

**Clinical Quality Measures**

2022 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	Below	69.9%
	Follow-up at Six Months	Average	40.6%
	Response at Six Months	Average	15.8%
	Remission at Six Months	Average	6.9%
	Follow-up at 12 Months	Average	36.6%
	Response at 12 Months	Average	13.9%
	Remission at 12 Months	Average	7.9%
Adult Depression	PHQ-9 Utilization*	Below	70.4%
	Follow-up at Six Months	Average	52.4%
	Response at Six Months	Average	17.7%
	Remission at Six Months	Average	10.8%
	Follow-up at 12 Months	Above	53.9%
	Response at 12 Months	Above	24.8%
	Remission at 12 Months	Average	13.8%
<b>Adolescent Mental Health and/or Depression Screening*</b>		Below	76.6%
<b>Colorectal Cancer Screening</b>		Average	70.8%
<b>Optimal Asthma Control - Adults</b>		Below	32.8%
<b>Optimal Asthma Control - Children</b>		Below	30.6%
<b>Optimal Diabetes Care</b>		Average	48.3%
<b>Optimal Vascular Care</b>		Average	52.7%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

\*Measure not risk adjusted

**Ratings**

**Above:** Clinic's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

**Average:** Clinic's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

**Below:** Clinic's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).