

**Clinical Quality Measures**

2022 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	Average	72.6%
	Follow-up at Six Months	Average	37.4%
	Response at Six Months	Average	11.1%
	Remission at Six Months	Average	8.1%
	Follow-up at 12 Months	Average	48.5%
	Response at 12 Months	Average	20.2%
	Remission at 12 Months	Average	12.1%
Adult Depression	PHQ-9 Utilization*	Below	58.0%
	Follow-up at Six Months	Above	79.4%
	Response at Six Months	Above	36.0%
	Remission at Six Months	Above	21.5%
	Follow-up at 12 Months	Above	72.8%
	Response at 12 Months	Above	40.8%
	Remission at 12 Months	Above	28.5%
<b>Adolescent Mental Health and/or Depression Screening*</b>		Above	97.8%
<b>Colorectal Cancer Screening</b>		Above	80.5%
<b>Optimal Asthma Control - Adults</b>		Average	58.8%
<b>Optimal Asthma Control - Children</b>		Above	63.4%
<b>Optimal Diabetes Care</b>		Above	50.8%
<b>Optimal Vascular Care</b>		Above	65.2%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

\*Measure not risk adjusted

**Ratings**

**Above:** Clinic’s actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

**Average:** Clinic’s actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

**Below:** Clinic’s actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).