

Clinical Quality Measures
 2022 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	Above	96.5%
	Follow-up at Six Months	Average	59.3%
	Response at Six Months	Average	19.4%
	Remission at Six Months	Average	13.9%
	Follow-up at 12 Months	Above	55.6%
	Response at 12 Months	Average	20.4%
	Remission at 12 Months	Average	13.9%
Adult Depression	PHQ-9 Utilization*	Above	89.0%
	Follow-up at Six Months	Above	54.6%
	Response at Six Months	Above	25.0%
	Remission at Six Months	Above	17.0%
	Follow-up at 12 Months	Above	59.4%
	Response at 12 Months	Above	29.6%
	Remission at 12 Months	Above	18.4%
Adolescent Mental Health and/or Depression Screening*		Above	98.6%
Colorectal Cancer Screening		Above	78.4%
Optimal Asthma Control - Adults		Below	44.0%
Optimal Asthma Control - Children		Average	60.4%
Optimal Diabetes Care		Above	55.7%
Optimal Vascular Care		Above	63.3%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

*Measure not risk adjusted

Ratings

Above: Clinic's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

Average: Clinic's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

Below: Clinic's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).