

**Clinical Quality Measures**

2022 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	Above	95.6%
	Follow-up at Six Months	Average	55.6%
	Response at Six Months	Above	24.7%
	Remission at Six Months	Average	11.1%
	Follow-up at 12 Months	Average	48.2%
	Response at 12 Months	Average	17.3%
	Remission at 12 Months	Average	9.9%
Adult Depression	PHQ-9 Utilization*	Average	74.8%
	Follow-up at Six Months	Average	45.9%
	Response at Six Months	Average	17.9%
	Remission at Six Months	Average	10.3%
	Follow-up at 12 Months	Average	44.1%
	Response at 12 Months	Average	16.8%
	Remission at 12 Months	Average	9.2%
<b>Adolescent Mental Health and/or Depression Screening*</b>		Average	90.8%
<b>Colorectal Cancer Screening</b>		Below	60.2%
<b>Optimal Asthma Control - Adults</b>		Below	24.8%
<b>Optimal Asthma Control - Children</b>		Below	35.0%
<b>Optimal Diabetes Care</b>		Below	35.5%
<b>Optimal Vascular Care</b>		Below	38.4%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

\*Measure not risk adjusted

**Ratings**

**Above:** Clinic’s actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

**Average:** Clinic’s actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

**Below:** Clinic’s actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).