

**Clinical Quality Measures**

2022 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	Average	76.5%
	Follow-up at Six Months	Below	27.3%
	Response at Six Months	Average	6.1%
	Remission at Six Months	Average	4.6%
	Follow-up at 12 Months	Below	7.6%
	Response at 12 Months	Below	1.5%
	Remission at 12 Months	Below	0.0%
Adult Depression	PHQ-9 Utilization*	Average	79.4%
	Follow-up at Six Months	Below	23.5%
	Response at Six Months	Below	10.3%
	Remission at Six Months	Average	7.1%
	Follow-up at 12 Months	Below	22.8%
	Response at 12 Months	Below	4.8%
	Remission at 12 Months	Below	2.3%
<b>Adolescent Mental Health and/or Depression Screening*</b>		Average	90.4%
<b>Colorectal Cancer Screening</b>		Below	54.9%
<b>Optimal Asthma Control - Adults</b>		Below	16.2%
<b>Optimal Asthma Control - Children</b>		Below	13.9%
<b>Optimal Diabetes Care</b>		Average	43.7%
<b>Optimal Vascular Care</b>		Average	60.1%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

\*Measure not risk adjusted

**Ratings**

**Above:** Clinic's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

**Average:** Clinic's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

**Below:** Clinic's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).