

**Clinical Quality Measures**

2022 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	Average	92.2%
	Follow-up at Six Months	Average	41.3%
	Response at Six Months	Average	11.1%
	Remission at Six Months	Average	1.6%
	Follow-up at 12 Months	Average	38.1%
	Response at 12 Months	Average	14.3%
	Remission at 12 Months	Average	6.4%
Adult Depression	PHQ-9 Utilization*	Above	91.1%
	Follow-up at Six Months	Average	49.2%
	Response at Six Months	Average	17.7%
	Remission at Six Months	Average	9.5%
	Follow-up at 12 Months	Above	55.0%
	Response at 12 Months	Above	23.7%
	Remission at 12 Months	Above	15.2%
<b>Adolescent Mental Health and/or Depression Screening*</b>		Above	98.6%
<b>Colorectal Cancer Screening</b>		Below	60.4%
<b>Optimal Asthma Control - Adults</b>		Above	71.4%
<b>Optimal Asthma Control - Children</b>		Above	79.9%
<b>Optimal Diabetes Care</b>		Average	46.3%
<b>Optimal Vascular Care</b>		Average	53.6%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

\*Measure not risk adjusted

**Ratings**

**Above:** Clinic's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

**Average:** Clinic's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

**Below:** Clinic's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).