

Clinical Quality Measures

2022 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	Above	98.7%
	Follow-up at Six Months	Above	54.9%
	Response at Six Months	Above	23.4%
	Remission at Six Months	Above	13.7%
	Follow-up at 12 Months	Above	52.8%
	Response at 12 Months	Above	24.8%
	Remission at 12 Months	Above	13.4%
Adult Depression	PHQ-9 Utilization*	Above	79.7%
	Follow-up at Six Months	Above	61.0%
	Response at Six Months	Above	26.3%
	Remission at Six Months	Above	15.6%
	Follow-up at 12 Months	Above	62.9%
	Response at 12 Months	Above	29.8%
	Remission at 12 Months	Above	18.4%
Adolescent Mental Health and/or Depression Screening*		Above	99.0%
Colorectal Cancer Screening		Above	79.7%
Optimal Asthma Control - Adults		Below	34.5%
Optimal Asthma Control - Children		Above	62.0%
Optimal Diabetes Care		Above	52.9%
Optimal Vascular Care		Average	58.3%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

*Measure not risk adjusted

Ratings

Above: Clinic’s actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

Average: Clinic’s actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

Below: Clinic’s actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).